

Antenna Installation Guide

Dual-Band
NMO Mount
Antenna



Features:

- Vehicle use
- Easy to install
- Permanent installation
- Requires antenna adapter (sold separately)
- Compatible with Wilson amplifiers (sold separately)

30-Day Money-Back Guarantee

All Wilson Electronics products are protected by Wilson's 30-day money-back guarantee. If, for any reason, the performance of any product is not acceptable, simply return the product directly to the reseller with a dated proof of purchase.

90-Day Warranty

Wilson Electronics antennas are warranted for ninety (90) days against defects in workmanship and / or materials. Warranty cases may be resolved by returning the product directly to the reseller with a dated proof of purchase.

Antennas may also be returned directly to the manufacturer at the consumer's expense, with a dated proof of purchase and a Returned Material Authorization (RMA) number supplied by Wilson Electronics. Wilson shall, at its option, either repair or replace the product. Wilson Electronics will pay for delivery of the repaired or replaced product back to the original consumer.

This warranty does not apply to any amplifiers determined by Wilson Electronics to have been subjected to misuse, abuse, neglect, or mishandling that alters or damages physical or electronic properties.

RMA numbers may be obtained by phoning Technical Support at 866-294-1660.

How it Works

Wilson's Dual-Band NMO Mount antenna will collect the cell tower signal and send it through the cable to an amplifier or directly to the cell phone or cellular data card. When the cell phone or cellular data card transmits, the signal is transferred to an amplifier or directly to the antenna and broadcast back to the cell tower. See the back cover for information on Wilson amplifiers.

Antenna Adapter

An 18-inch external adapter is required to connect the cell phone or cellular data card to the antenna. The external adapter is cell phone/data card-specific and may be purchased through a local retailer. Refer to Wilson's Adapter Guide to identify the right adapter for your cell phone or cellular data card. The Adapter Guide is available through a local retailer. It is also available on our web site, www.wilsonelectronics.com, or you may call Technical Support at 866-294-1660.

Disclaimer: The information provided by Wilson Electronics, Inc. is believed to be complete and accurate. However, no responsibility is assumed by Wilson Electronics, Inc. for any business or personal losses arising from its use, or for any infringements of patents or other rights of third parties that may result from its use.

Installing the NMO Mount Antenna

- 1** Select a location for mounting the antenna. The best location would be centered on the vehicle roof, although other locations are acceptable.
- 2** For mounting the antenna on the trunk of a vehicle, use Wilson Part # 901101. Slide the bracket into place on the trunk or hood lip. Tighten the two set screws on the bottom lip underneath the trunk or hood lip.
- 3** For roof mounts, Wilson part # 901102 or #901103, drill a hole in the selected location. The size of the hole should be 3/8" or 3/4" depending on the mount purchased. Place the NMO mount up through the bottom of the hole. Place the threaded nut on top of the mount, outside of the vehicle and tighten.
- 4** Route the cable between the hole or the mount, and the location of the amplifier or the cell phone.
- 5** Screw the antenna coil into place on top of the vehicle.

Antenna Specifications

Part Number	301104
Frequency Range	806-894 MHz / 1850-1990 MHz
Impedance	50 ohms
Antenna Gain	4.9 dBi 806-894 MHz / 5.9 dBi 1850-1990 MHz
Radiation	Omni
Polarization	Vertical
Wavelength	1.0 Wavelength 806-894 MHz / 2.1 Wavelength 1850-1990 MHz
Ground Plane	Metal ground plane required
Connector	FME-Female
Material	Whip - Stainless Steel
Height	13.88 inches / 35.3 cm
Mount	<p>NMO Mount Types (sold separately)</p> <p>Trunk Mount (14' RG-58 Coax) Part# 901101</p> <p>3/8" Hole - Roof Mount (14' RG-58 Coax) Part# 901103</p> <p>3/4" Hole - Roof Mount (14' RG-58 Coax) Part# 901102</p>

Wilson Amplifiers Boost Coverage

When used in conjunction with your antenna, a Wilson Amplifier can improve your cell phone and laptop data card coverage area up to 50 miles. Wilson manufactures a wide range of wireless and direct-connection amplifiers for mobile or in-building use. See your dealer for details or visit www.wilsonelectronics.com.



3301 East Deseret Drive, St. George UT 84790

For additional Technical Support visit

www.wilsonelectronics.com

Phone: 866-294-1660

Fax: 435-656-2432